

XP

2D



2-DIMENSIONAL OVERLAND FLOW MODULE

XP




MODEL WITH CONFIDENCE WITH **XP2D**



WHAT CAN **XP2D** MODEL?

Dynamic, fully integrated 1D and 2D flow modeling allows you to solve many complex problems. With the ability to track water in and out of channels, inlets, culverts, pipes, across land surfaces, and around or through structures, you will be able to analyze flooding more accurately than ever before.

- **Flood Mapping.** **xp2D** is the perfect tool to map the extents of surface flooding (depth and velocity) from rivers and urban drainage networks; these can be used to develop emergency response procedures and to design engineering solutions to mitigate flooding.
- **Urban Pipe/Channel Overflow.** Find out where water will travel overland when it leaves the confines of a 1D drainage network.
- **Spatially Variable Runoff.** 2D hydrology is ideal for identifying pluvial flood hazards, designing LID/WSUD-friendly surfaces, and examining areal rainfall variation.
- **Tidal Surges and Dambreaks.** View overland flow and its effect on drainage networks when a catastrophic flooding event occurs.
- **Levee/Floodwall Interior Drainage.** Analyze drainage system performance, pumping needs and overflow flooding behind levees or floodwalls.



VERSATILE RESULTS

The bottom line requirement for your clients or regulators is the ability to see and understand the design or analysis results that you submit to them. **xp2D will help you exceed their expectations.**

Maps. Color coded maps of depth, velocity, and hazard zones overlaid on aerial imagery, GIS layers or CAD drawings are easily created and printed/exported.

Floodplain Delineation and BFE's. Create linework (polygons, polylines) to submit to FEMA or other regulators showing the floodplain extent and Base Flood Elevation (BFE) contours.

Gridded Datasets. Export the results of your 2D analysis in GIS grid format for mapping/display in other software systems.

Summary Output Document. Review your 1D/2D model run, results and summary statistics in a comprehensive text output file.



EFFICIENCY

Your time is worth money. **xp2D is optimized to help make the best use of your modeling time.**

Integrated Interface. Anyone familiar with the **xpswmm** or **xpstorm** software will find that **xp2D** is completely integrated into the user interface, allowing easy addition of 2D modeling to any project.

Streamlined Model Setup. The streamlined model building workflow in **xp2D** will ensure that you spend your valuable time on critical work, while tedious or repetitive tasks are hidden and automated.

Easy 1D/2D Linkage. Connect 1D networks at inlets/manholes or along stream banks with only a few mouse-clicks.

GIS Integration. Dynamically link to almost any external database to build your model and populate model parameter fields. Streamlined linkage to ESRI databases and MapInfo databases allows you to take advantage of the GIS data without the limitations and cost of using a GIS software license.



WHY ADD THE **XP2D** MODULE TO **XP2D** SWMM/XP2D STORM?

Accuracy. When it comes to flooding, accurate simulation and forecasting can save lives and property. A simulation model that can demonstrate how water moves over land and how it interacts with its terrain as well as the existing system is essential in protecting lives, homes, businesses and municipal dollars.

1D/2D Integration. The combination of the 1D network flow with 2D surface flow uses the best description of the flow for each case – no need to use inadequate approximations. See how floodwaters on the surface interact with an existing river or pipe system. Watch as storm sewers surcharge, waters flow down streets or across land surfaces and either pool or re-enter the system.

Structures and Terrain. Model not only the land terrain but its actual attributes. Factors in a model can include different types of land use, buildings, structures, dams, levees, fences, and more.

Powerful Analysis. Using the powerful and well-accepted TUFLOW analysis engine coupled with the versatile **xpswmm** or **xpstorm** 1D analysis engine, **xp2D** solves the full 2D shallow-water equations on a finite-difference grid. This means that you will get accurate hydraulics answers, stable model runs, and relatively fast run times – key requirements that must be balanced in a model suited for real-world use.



XP2D

Floods and storm tides cause extensive damage, stress, loss of life-and-limb, and dislocate communities. To fully understand and manage these risks requires a reliable hydrodynamic engine that accurately predicts flood inundation patterns. **xp2D** meets this challenge effectively and reliably.

xp2D gives you the power to analyze and predict potential flood extents, depth and velocity and accurately model the interaction of surface and underground systems in an integrated 1D/2D modeling environment. The software can also be effectively used to simulate and analyze tidal surges, dam breaks and breaches on sewer networks.

xp2D simulates the complex hydrodynamics of floods and tides using the full 1D St. Venant equations and the full 2D free-surface shallow water equations.



XP Software Asia Pacific

PO Box 3064, Belconnen
ACT 2616 Australia

P +61 (02) 6253 1844
F +61 (02) 6253 1847

XP Software North America

5415 SW Westgate Drive, Suite 150
Portland, Oregon 97221

P +1 888 554 5022
F +1 888 554 5122

XP Software U.K.

Micro Drainage Limited
Jacob's Well, West Street
Newbury, Berkshire
RG14 1BD, UK

P: +44 (0) 1635 582 555
F: +44 (0) 1635 582 131

www.xpsoftware.com

VISIT OUR WEBSITE TO LEARN MORE ABOUT OUR PROGRAMS THAT HELP YOU MODEL WITH CONFIDENCE!